

2022



HOT PLATE



TO LEARN MORE
PLEASE SCAN HERE

Yongkang Tianma Electric Appliance Factory





Model NO.:TM-HS01HYC

Output Power:1000W Size:26.8x25x8.8cm
 Voltage:110-127V/220-240V Thickness of iron:0.55mm
 Hotplate size:Dia.163mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:52.5x26.5x52.6cm



Model NO.:TM-HS02HYC

Output Power:1500W Size:28.6x27x8.8cm
 Voltage:110-127V/220-240V Thickness of iron:0.55mm
 Hotplate size:Dia.190mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:50x28.5x56.6cm



Model NO.:TM-HS01HFC

Output Power:1000W Size:26.8x24.5x8.5cm
 Voltage:110-127V/220-240V Thickness of iron:0.45mm
 Hotplate size:Dia.163mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:50x32x56cm



Model NO.:TM-HS02HFC

Output Power:1500W Size:29x27x8.5cm
 Voltage:110-127V/220-240V Thickness of iron:0.45mm
 Hotplate size:Dia.190mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:50x33x60cm



Model NO.:TM-HS02TC

Output Power:1500W Size:32x24.7x8.5cm
 Voltage:110-127V/220-240V Thickness of iron:0.5mm
 Hotplate size:Dia.190mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:53.5x35.7x58cm



Model NO.:TM-HD05TC

Output Power:2500W Size:54x26.8x8.5cm
 Voltage:110-127V/220-240V Thickness of iron:0.5mm
 Hotplate size:Dia.163mm/Dia.190mm Color available:various
 Operating on/off indicator light 5pcs/ctn
 Carton size:54.5x30x59.5cm



Model NO.:TM-HS02STC

Output Power:1500W Size:32x24.7x8.5cm
 Voltage:110-127V/220-240V Thickness of stainless iron:0.45mm
 Hotplate size:Dia.190mm Color available:various
 Operating on/off indicator light 10pcs/ctn
 Carton size:53.5x35.7x58cm



Model NO.:TM-HD05STC

Output Power:2500W Size:54x26.8x8.5cm
 Voltage:110-127V/220-240V Thickness of stainless iron:0.45mm
 Hotplate size:Dia.163mm/Dia.190mm Color available:various
 Operating on/off indicator light 5pcs/ctn
 Carton size:54.5x30x59.5cm



ISO 9001



Model NO.:TM-HS01HBC

Output Power:1000W Size:27x24x8.5cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.163mm Color available:various
Operating on/off indicator light 10pcs/ctn
Carton size:50x32x53.5cm



Model NO.:TM-HS02HBC

Output Power:1500W Size:28.4x25.2x8.5cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.190mm Color available:various
Operating on/off indicator light 10pcs/ctn
Carton size:50x32.5x57cm



Model NO.:TM-HS01UC

Output Power:1000W Size:25.2x22x8.2cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.163mm Color available:various
Operating on/off indicator light 10pcs/ctn
Carton size:47x29.5x53cm



Model NO.:TM-HD05HBC

Output Power:2500W Size:50x28.2x8.5cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.163mm/Dia.190mm Color available:various
Operating on/off indicator light 5pcs/ctn
Carton size:50x32.5x54cm



Model NO.:TM-HS02UC

Output Power:1500W Size:28x25.8x8.2cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.190mm Color available:various
Operating on/off indicator light 10pcs/ctn
Carton size:47x31.5x57cm



Model NO.:TM-HD05UC

Output Power:2500W Size:47x27x8.2cm
Voltage:110-127V/220-240V Thickness of iron:0.45mm
Hotplate size:Dia.163mm/Dia.190mm Color available:various
Operating on/off indicator light 5pcs/ctn
Carton size:45x31.8x50cm



Model NO.:TM-HS02FC

Output Power:1500W Size:29.5x25.2x8.5cm
Voltage:110-127V/220-240V Thickness of iron:0.5mm
Hotplate size:Dia.190mm Color available:various
Operating on/off indicator light 10pcs/ctn
Carton size:51x31.5x56cm



Model NO.:TM-HD05FC

Output Power:2500W Size:53x26.8x8.5cm
Voltage:110-127V/220-240V Thickness of iron:0.5mm
Hotplate size:Dia.163mm/Dia.190mm Color available:various
Operating on/off indicator light 5pcs/ctn
Carton size:53.5x28.8x55.5cm



CB CE



ISO 9001



Mould No.:TM-HS03HY

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 140mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size:25x25x9cm	10pcs/ctn
Carton Size:52.5x26.5x52.6cm	



Mould No.:TM-HS01HY

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 155mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size:25x25x9cm	10pcs/ctn
Carton Size:52.5x26.5x52.6cm	



Mould No.:TM-HS02HY

Output Power:1500W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 185mm	Thickness of iron:0.5mm
Operating on/off indicator light	Colour available: various
Size:27x27x9cm	10pcs/ctn
Carton Size:50x28.5x56.6cm	



Mould No.:TM-HS01HF

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 155mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size:25x25x9cm	10pcs/ctn
Carton Size:50x32x56cm	



Mould No.:TM-HS03HF

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 140mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size:25x25x9cm	10pcs/ctn
Carton Size:53.5x32x55cm	



Mould No.:TM-HS02HF

Output Power:1500W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 185mm	Thickness of iron:0.5mm
Operating on/off indicator light	Colour available: various
Size:27x27x9cm	10pcs/ctn
Carton Size:50x33x60cm	



Mould No.:TM-HS01HB

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 155mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size:24x25.5x8.5cm	10pcs/ctn
Carton Size:50x32x53.5cm	



Mould No.:TM-HS03HB

Output Power:1000W	Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 140mm	Thickness of iron:0.45mm
Operating on/off indicator light	Colour available: various
Size: 24x25.5x9cm	10pcs/ctn
Carton Size:52.5x32x54cm	



ISO 9001



Mould No.:TM-HD04HB

Output Power:2000W
Hotplate size: Dia155mm/Dia155mm
Operating on/off indicator light
Size:50.5x27x8.5cm
Carton Size:52.5x32.5x54cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.5mm
Colour available: various
5pcs/ctn



Mould No.:TM-HD06HB

Output Power:2000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:50.5x27x9cm
Carton Size:52.5x32.5x54cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.5mm
Colour available: various
5pcs/ctn



Mould No.:TM-HS02HB

Output Power:1500W
Hotplate size: Dia. 185mm
Operating on/off indicator light
Size:25x25x7.5cm
Carton Size:50x32x53.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.5mm
Colour available: various
10pcs/ctn



Mould No.:TM-HD05HB

Output Power:2500W
Hotplate size: Dia155mm/Dia185mm
Operating on/off indicator light
Size:50.5x27x8.5cm
Carton Size:52.5x32.5x54cm

Voltage:110V-240V/50Hz-60Hz
Thickness of stainless iron:0.5mm
Colour available: various
5pcs/ctn



Mould No.:TM-HS01U

Output Power:1000W
Hotplate size: Dia. 155mm
Operating on/off indicator light
Size:22x22x7.5cm
Carton Size:47x29.5x53cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.45mm
Colour available: various
10pcs/ctn



Mould No.:TM-HS03U

Output Power:1000W
Hotplate size: Dia. 140mm
Operating on/off indicator light
Size:22x22x7.5cm
Carton Size:47x29.5x53cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.45mm
Colour available: various
10pcs/ctn



Mould No.:TM-HD04U

Output Power:2000W
Hotplate size: Dia155mm/Dia155mm
Operating on/off indicator light
Size:46x24x7.5cm
Carton Size:47x31.5x51cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.5mm
Colour available: various
5pcs/ctn



Mould No.:TM-HD06U

Output Power:2000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:46x24x7.5cm
Carton Size:47x31.5x51cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.5mm
Colour available: various
5pcs/ctn



Mould No.:TM-HS02U

Output Power:1500W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 185mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:25x25x7.5cm 10pcs/ctn
 Carton Size:47x31.5x57cm



Mould No.:TM-HD05U

Output Power:2500W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia155mm/Dia185mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:46x24x7.5cm 5pcs/ctn
 Carton Size:47x31.5x51cm



Mould No.:TM-HS01

Output Power:1000W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 155mm Thickness of iron:0.45mm
 Operating on/off indicator light Colour available: various
 Size:22x22x7.5cm 12pcs/ctn
 Carton Size:52.5x28.5x51.5cm



Mould No.:TM-HS03

Output Power:1000W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 140mm Thickness of iron:0.45mm
 Operating on/off indicator light Colour available: various
 Size:22x22x8cm 12pcs/ctn
 Carton Size:52.5x28.5x51.5cm



Mould No.:TM-HD04

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia155mm/Dia155mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:24x46x7.5cm 6pcs/ctn
 Carton Size:53x30.5x49.5cm



Mould No.:TM-HD06

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia140mm/Dia140mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:24x46x8cm 6pcs/ctn
 Carton Size:53x30.5x49.5cm



Mould No.:TM-HS02

Output Power:1500W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 185mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:25x25x7.5cm 8pcs/ctn
 Carton Size:35.5x31x57cm



Mould No.:TM-HD05

Output Power:2500W Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia155mm/Dia185mm Thickness of iron:0.5mm
 Operating on/off indicator light Colour available: various
 Size:24x46x7.5cm 6pcs/ctn
 Carton Size:53x30.5x49.5cm



ISO 9001



Mould No.:TM-HS02S

Output Power:1500W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia. 185mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:25x25x7.5cm 8pcs/ctn
Carton Size:35.5x31x57cm



Mould No.:TM-HS03S

Output Power:1000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia140mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:22x22x8cm 12pcs/ctn
Carton Size:52.5x28.5x51.5cm



Mould No.:TM-HD04S

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia155mm/Dia155mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:24x46x7.5cm 6pcs/ctn
Carton Size:53x30.5x49.5cm



Mould No.:TM-HD06S

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia140mm/Dia140mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:24x46x8cm 8pcs/ctn
Carton Size:53x30.5x49.5cm



Mould No.:TM-HS11S

Output Power:1100W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia155mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:22x24x7.5cm 12pcs/ctn
Carton Size:52.5x28.5x52cm



Mould No.:TM-HD12S

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia155mm/Dia155mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: stainless
Size:25.5x48x7.5cm 6pcs/ctn
Carton Size:53x30.5x52.5cm



Mould No.:TM-HS13S

Output Power:1000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia140mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: various
Size:22x24x8cm 12pcs/ctn
Carton Size:52.5x28.5x52cm



Mould No.:TM-HD14S

Output Power:2000W Voltage:110V-240V/50Hz-60Hz
Hotplate size: Dia140mm/Dia140mm Thickness of stainless iron:0.45mm
Operating on/off indicator light Colour available: stainless
Size:25.5x48x8cm 6pcs/ctn
Carton Size:53x30.5x52.5cm



Mould No.:TM-HS01F

Output Power:1000W
 Hotplate size: Dia. 155mm
 Operating on/off indicator light
 Size:21x30x9cm
 Carton Size:52.5x28.5x51.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 12pcs/ctn



Mould No.:TM-HS03F

Output Power:1000W
 Hotplate size: Dia. 140mm
 Operating on/off indicator light
 Size:21x30x9cm
 Carton Size:52.5x28.5x51.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 12pcs/ctn



Mould No.:TM-HD04F

Output Power:2000W
 Hotplate size: Dia155mm/Dia155mm
 Operating on/off indicator light
 Size:24x53x9cm
 Carton Size:53x30.5x49.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HD06F

Output Power:2000W
 Hotplate size: Dia140mm/Dia140mm
 Operating on/off indicator light
 Size:24x53x9cm
 Carton Size:53x30.5x49.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HS02

Output Power:1500W
 Hotplate size: Dia. 185mm
 Operating on/off indicator light
 Size:25x25x7.5cm
 Carton Size:35.5x31x57cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of stainless iron:0.5mm
 Colour available: various
 8pcs/ctn



Mould No.:TM-HD04

Output Power:2000W
 Hotplate size: Dia155mm/Dia155mm
 Operating on/off indicator light
 Size:24x46x8cm
 Carton Size:52.5x28.5x51.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of stainless iron:0.5mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HD05D

Output Power:2500W
 Hotplate size: Dia155mm/Dia185mm
 Operating on/off indicator light
 Size:24x46x8.5cm
 Carton Size:54x30.5x49.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of stainless iron:0.5mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HS01T

Output Power:1000W
 Hotplate size: Dia155mm/Dia155mm
 Operating on/off indicator light
 Size:32x22x8.5cm
 Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 12pcs/ctn



Mould No.:TM-HD04T

Output Power:2000W
 Hotplate size: Dia155mm/Dia155mm
 Operating on/off indicator light
 Size:54x34x8.5cm
 Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.6mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HS11S

Output Power:1100W
 Hotplate size: Dia155mm
 Operating on/off indicator light
 Size:22x24x7.5cm
 Carton Size:52.5x28.5x52cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of stainless iron:0.5mm
 Colour available: various
 12pcs/ctn



Mould No.:TM-HD12

Output Power:2000W
 Hotplate size: Dia155mm/Dia155mm
 Operating on/off indicator light
 Size:25.5x48x7.5cm
 Carton Size:53x30.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of stainless iron:0.55mm
 Colour available: stainless
 6pcs/ctn



Mould No.:TM-HD04D

Output Power:2000W
 Hotplate size: Dia.155mm/Dia.155mm
 Operating on/off indicator light
 Size:24x46x8.5cm
 Carton Size:54x30.5x49.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.5mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HD06D

Output Power:2000W
 Hotplate size: Dia140mm/Dia140mm
 Operating on/off indicator light
 Size:24x46x8.5cm
 Carton Size:54x30.5x49.5cm

Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.5mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HS01T

Output Power:1000W
Hotplate size: Dia155mm
Operating on/off indicator light
Size:32x22x8.5cm
Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
12pcs/ctn



Mould No.:TM-HS03T

Output Power:1000W
Hotplate size: Dia140mm
Operating on/off indicator light
Size:32x22x8.5cm
Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
12pcs/ctn



Mould No.:TM-HD04T

Output Power:2000W
Hotplate size: Dia155mm
Operating on/off indicator light
Size:54x34x8.5cm
Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
6pcs/ctn



Mould No.:TM-HD06T

Output Power:2000W
Hotplate size: Dia140mm
Operating on/off indicator light
Size:54x34x8.5cm
Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
6pcs/ctn



Mould No.:TM-HS01ST

Output Power:1000W
Hotplate size: Dia155mm/Dia155mm
Operating on/off indicator light
Size:32x22x8.5cm
Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of stainless iron:0.4mm
Colour available: various
12pcs/ctn



Mould No.:TM-HS03ST

Output Power:1000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:32x22x8.5cm
Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of stainless iron:0.4mm
Colour available: various
12pcs/ctn



Mould No.:TM-HD04ST

Output Power:2000W
Hotplate size: Dia155mm/Dia155mm
Operating on/off indicator light
Size:54x34x8.5cm
Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of stainless iron:0.5mm
Colour available: stainless
6pcs/ctn



Mould No.:TM-HD06ST

Output Power:2000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:54x34x8.5cm
Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of stainless iron:0.5mm
Colour available: stainless
6pcs/ctn



Mould No.:TM-HS11

Output Power:1000W
Hotplate size: Dia155mm
Operating on/off indicator light
Size:22x24x7.5cm
Carton Size:52.5x28.5x52cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
12pcs/ctn



Mould No.:TM-HS13

Output Power:1000W
Hotplate size: Dia140mm
Operating on/off indicator light
Size:22x24x8cm
Carton Size:52.5x28.5x52cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
12pcs/ctn



Mould No.:TM-HD12

Output Power:2000W
Hotplate size: Dia155mm/Dia155mm
Operating on/off indicator light
Size:25.5x48x7.5cm
Carton Size:53x30.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
6pcs/ctn



Mould No.:TM-HD14

Output Power:2000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:25.5x48x8cm
Carton Size:53x30.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
6pcs/ctn



Mould No.:TM-HS08

Output Power:1000W
Hotplate size: Dia140mm
Thickness of iron:0.65mm
Colour available: various
6pcs/ctn

Voltage:110V-240V/50Hz-60Hz
Surface stainless steel:0.65mm
Operating on/off indicator light
Size:22x22x9cm
Carton Size:48x28x49.5cm



Mould No.:TM-HD10

Output Power:2000W
Hotplate size: Dia140mm/Dia140mm
Operating on/off indicator light
Size:24x46x9cm
Carton Size:52x31x50cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
6pcs/ctn



Mould No.:TM-HS02T

Output Power:1500W
Hotplate size: Dia185mm
Operating on/off indicator light
Size:32x22x8.5cm
Carton Size:49x33.5x52.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: various
12pcs/ctn



Mould No.:TM-HD05T

Output Power:2500W
Hotplate size: Dia155mm/Dia185mm
Operating on/off indicator light
Size:54x34x8.5cm
Carton Size:49x28x56.5cm

Voltage:110V-240V/50Hz-60Hz
Thickness of iron:0.6mm
Colour available: stainless
6pcs/ctn



Mould No.:TM-HS01H

Output Power:1000W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia155mm
 Thickness of iron:0.6mm
 Operating on/off indicator light
 Colour available: various
 Size:24.5x22.5x8.5cm
 12pcs/ctn
 Carton Size:49x33.5x52.5cm



Mould No.:TM-HS02H

Output Power:1500W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia185mm
 Thickness of iron:0.6mm
 Operating on/off indicator light
 Colour available: various
 Size:27.5x25.5x8.5cm
 8pcs/ctn
 Carton Size:39.5x33x59cm



Mould No.:TM-HS03H

Output Power:1000W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia140mm
 Thickness of iron:0.6mm
 Operating on/off indicator light
 Colour available: various
 Size:24.5x22.5x8.5cm
 12pcs/ctn
 Carton Size:49x33.5x52.5cm



Mould No.:TM-HD06H

Output Power:2000W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 140mm/Dia. 140mm
 Thickness of iron:0.6mm
 Operating on/off indicator light
 Colour available: various
 Size:47x26.7x8.5cm
 6pcs/ctn
 Carton Size:49x28x56.5cm



Mould No.:TM-HD04H

Output Power:2000W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 155mm/Dia. 155mm
 Thickness of iron:0.6mm
 Operating on/off indicator light
 Colour available: various
 Size:47x26.7x8.5cm
 6pcs/ctn
 Carton Size:49x28x56.5cm



Mould No.:TM-HD07

Output Power:2000W
 Hotplate size: Dia140mm/Dia155mm
 Operating on/off indicator light
 Size:24x46x8cm
 Carton Size:53x30.5x49.5cm
 Voltage:110V-240V/50Hz-60Hz
 Thickness of iron:0.5mm
 Colour available: various
 6pcs/ctn



Mould No.:TM-HS01M

Output Power:500W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia.100mm
 Thickness of iron:0.5mm
 Operating on/off indicator light
 Colour available: various
 Size:13.5x13.5x7.5cm
 16pcs/ctn
 Carton Size: 41x30.5x32cm



Mould No.:TM-HS03M

Output Power:500W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia.95mm
 Thickness of iron:0.5mm
 Operating on/off indicator light
 Colour available: various
 Size:13.5x13.5x7.5cm
 16pcs/ctn
 Carton Size: 41x33.5x32cm



Mould No.:TM-HS03E

Output Power:1000W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia.140mm
 Thickness of iron:0.4mm
 Operating on/off indicator light
 Colour available: various
 Size:21x21x7cm
 12pcs/ctn
 Carton Size: 47x26.5x45cm



Mould No.:TM-HD06E

Output Power: 2000W
 Voltage: 110V-240V/50Hz-60Hz
 Hotplate size: Dia140mm/Dia140mm
 Thickness of iron: 0.45mm
 Operating on/off indicator light
 Colour available: various
 Size: 45x23x7.5cm
 6pcs/ctn
 Carton Size: 47x28x47cm



Mould No.:TM-CP1

Output Power: 450W
 Voltage:110V-240V/50Hz-60Hz
 Hotplate size: Dia. 85mm
 Thickness of iron: 0.5mm
 Operating on/off indicator light
 Colour available: various
 Size: 14x14x18.5cm
 16pcs/ctn
 Carton Size: 58.5x42x27cm



TIANMA ELECTRIC APPLIANCE FACTORY

ABOUT US

Yongkang tianma electric appliance factory founded since 2000 ,under all staff more than a decade hard working ,we made great progress and well development .Our factory specilize in hot plate ,electric stove ,heating plate and relevent spare parts with different range instead of covering big field .And our hot plate items sold to many countries and regions with their super quality ,unique design ,full series and competitive cost ,gladly we received high reputation and continuously received invitation from our new clients to extend their market .Though we become better with all partners kind support ,Tianma people never stop reforming and innovating in the measure of keeping on training our QC and strictly following GS CB CE Rohs Approved standard “quality first ,and integrity the utmost ” is the principle we will always insist on .

To provide both best items and service for all our new and regular clients are that we desire for ,and all our power owe to your support and understanding .Any demands either contact us or visit our web www.xuemacn.com is welcomed .We hereby look forward for a mutual benefit ,equal ,happy cooperation with you.

OUR CERTIFICATES >>>



Add: NO.23 Xita 3rd Road, Chengxi Industrial Yongkang City, Zhejiang China

Tel: 0086-579-87253168 0086-579-87253089

Fax: 0086-579-87253167

MOBILE: 138 6895 5476 / 136 2679 1911

139 6791 4618 / 137 0589 9357

Email: sales@xuemacn.com

<http://www.xuemacn.com>

<https://chinapegasus.en.alibaba.com>

P.C: 321300